HAMN
HAMILTON AIR MONITORING NETWORK

HAMN - VOC Report

Station : 29180
Location : Burlington St / Gage Ave, Hamilton
Reporting Period : 01 January, 2020 to 31 December, 2020

Sample Matrix : SUMMA Canisters
Method : GC/MS (TO15A)
Valid Samples - No. / % : 31 / 100%

VOC Parameter	AAQC 24 Hr	URT 24 Hr	RDL	04-Jan-20	16-Jan-20	28-Jan-20	09-Feb-20	21-Feb-20	04-Mar-20	16-Mar-20	28-Mar-20	09-Apr-20	21-Apr-20	03-May-20	15-May-20	27-May-20	08-Jun-20	20-Jun-20	Ave	Max	Min	Samples > AAQC	Samples > URT
	µg/m^3	µg/m^3	µg/m^3																µg/m^3	µg/m^3	µg/m^3	No.	No.
2,2,4-Trimethylpentane	x	x	0.934	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	x	x
Carbon Disulfide	330	x	1.56	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0	x
Propene	4000	x	0.516	0.705	0.775	0.775	2.040	0.600	0.860	1.080	0.560	0.560	0.775	1.080	2.080	1.500	0.431	0.690	0.967	2.080	0.431	0	x
Vinyl Acetate	x	x	0.704	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	x	x
Dichlorodifluoromethane	500000	x	0.989	2.68	2.72	3.23	2.95	2.64	2.46	3.10	2.92	3.23	2.67	2.75	2.79	2.77	2.71	3.26	2.86	3.26	2.46	0	x
Vinyl Chloride	1	100	0.0511	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0640	0.0281	0.0640	0.0256	0	0
1,2-Dichlorotetrafluoroethane	700000	x	1.19	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0	x
1,3-Butadiene	10	300	1.11	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0	0
Chloromethane	320	x	0.620	1.120	0.963	1.220	1.190	0.892	0.960	1.180	0.912	1.160	0.989	1.100	1.070	1.110	1.010	1.260	1.076	1.260	0.892	0	x
Trichlorotrifluoroethane	800000	x	1.15	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0	x
Vinyl Bromide	x	x	0.875	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	x	x
Chloroethane	5600	25000	0.792	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0	0
Chloroform	1	100	0.195	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.2270	0.1061	0.2270	0.0975	0	0
1,2-Dichloroethane	2	x	0.0405	0.116	0.098	0.132	0.124	0.115	0.093	0.102	0.093	0.116	0.107	0.094	0.087	0.074	0.071	0.094	0.101	0.132	0.071	0	x
Carbon Tetrachloride	2.4	24	0.31	0.838	0.642	0.520	0.494	0.643	0.528	0.516	0.602	0.685	0.642	0.712	0.601	0.714	0.826	0.731	0.646	0.838	0.494	0	0
Trichlorofluoromethane	6000	x	1.12	1.61	1.54	1.84	1.64	1.56	1.44	1.87	1.62	1.89	1.67	1.76	2.54	2.46	1.59	2.20	1.82	2.54	1.44	0	x
Benzene	2.3	100	0.16	0.78	0.61	0.63	1.33	0.71	0.75	0.96	3.35	0.53	0.31	0.43	3.82	2.43	2.62	1.96	1.42	3.82	0.31	4	0
Ethanol	19000	x	1.88	8.520	17.600	21.800	16.000	2.390	10.100	2.260	0.940	7.640	7.240	9.920	10.700	11.400	6.230	10.800	9.569	21.800	0.940	0	x
Trichloroethylene	12	1200	0.269	0.135	0.135	0.135	0.135	0.135	0.135	0.290	0.135	0.135	0.135	0.135	0.135	0.135	0.135	0.135	0.145	0.290	0.135	0	0
2-propanol	7300	x	2.46	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	0	x
Bromodichloromethane	x	x	1.34	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	x	x
2-Propanone	11880	x	0.475	4.850	4.990	7.680	4.910	4.210	5.470	3.940	3.250	6.920	3.980	6.940	9.950	9.810	4.970	13.600	6.365	13.600	3.250	0	x
cis-1,3-Dichloropropene	x	x	0.227	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.114	0.1135	0.1135	0.1135	x	x
Methyl Ethyl Ketone	1000	10000	0.295	1.200	1.350	1.940	1.850	1.400	2.160	4.600	0.775	1.580	1.260	1.050	13.500	2.160	1.030	3.350	2.614	13.500	0.775	0	0
trans-1,3-Dichloropropene	x	x	0.227	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	x	x
1,1,2-Trichloroethane	x	x	0.0655	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	x	x
Methyl Isobutyl Ketone	1200	x	0.410	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0	x
Dibromochloromethane	x	x	1.70	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	x	x
Methyl Butyl Ketone	x	x	4.10	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	x	x
Ethylene Dibromide	3	x	0.0768	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0	x
Methyl t-butyl ether (MTBE)	7000	x	0.361	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0	x
1,1,2,2-Tetrachloroethane	x	x	0.0185	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	x	x
Ethyl Acetate	x	x	3.60	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	x	x
1,1-Dichloroethylene	10	x	0.198	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0	x
Benzyl chloride	x	x	2.59	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	x	x
cis-1,2-Dichloroethylene	105	x	0.198	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0	x
Hexachlorobutadiene	x	x	0.0501	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	x	x
trans-1,2-Dichloroethylene	105	x	0.396	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0	x
Methylene Chloride	220	22000	2.78	0.881	2.910	2.040	0.832	0.588	1.410	0.506	0.411	0.784	0.570	0.677	2.350	0.905	0.542	0.902	1.087	2.910	0.411	0	0
1,1-Dichloroethane	165	1650	0.202	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0	0
1,1,1-Trichloroethane	115000	x	0.273	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0	x
1,2-Dichloropropane	2400	x	0.231	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0	x
Bromomethane	1350	x	0.194	0.0970	0.0970	0.254	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.1075	0.2540	0.0970	0	x
Bromoform	55	x	1.03	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0	x
Heptane	11000	x	1.23	0.615	0.615	1.560	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.678	1.560	0.615	0	x
Tetrachloroethylene	360	x	0.339	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0	x
Toluene	2000	x	0.188	1.1300	2.0200	4.1700	2.3200	0.9910	2.2600	0.9880	0.7090	2.0800	1.4500	0.9000	3.6000	2.6900	0.9300	2.6600	1.9265	4.1700	0.7090	0	x
Ethylbenzene	1000	10000	0.217	0.109	0.360	0.508	0.449	0.220	0.529	0.218	0.109	0.429	0.300	0.109	0.739	0.394	0.109	0.593	0.345	0.739	0.109	0	0
p+m-Xylene	730	x	0.434	0.481	1.180	1.680	1.380	0.625	1.500	0.713	0.217	1.550	0.901	0.486	2.440	1.250	0.488	1.820	1.114	2.440	0.217	0	x
o-Xylene	730	x	0.217	0.109	0.474	0.607	0.668	0.109	0.516	0.321	0.109	0.596	0.338	0.232	0.995	0.487	0.109	0.693	0.424	0.995	0.109	0	x
Styrene	400	x	0.213	0.1065	2.5200	2.8400	0.1065	0.1065	0.5180	0.1065	0.1065	0.8400	0.2790	0.1065	0.6120	0.2280	0.1065	0.231	0.5876	2.8400	0.1065	0	x
1,3,5-Trimethylbenzene	220	2200	2.46	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	0	0
1,2,4-Trimethylbenzene	220	2200	2.46	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	0	0
4-ethyltoluene	x	x	2.46	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	x	x
Chlorobenzene	x	x	0.230	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	x	x
1,3-Dichlorobenzene	x	x	2.40	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	x	x
1,4-Dichlorobenzene	95	x	0.301	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.8320	0.4360	0.3870	0.1505	0.1505	0.2307	0.8320	0.1505	0	x
1,2-Dichlorobenzene	x	x	0.301	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	x	x
1,2,4-Trichlorobenzene	400	x	0.742	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0	x
Hexane	2500	25000	0.352	2.020	0.984	2.490	1.540	0.545	2.300	0.499	0.176	2.350	1.260	1.250	2.940	0.904	0.176	1.080	1.368	2.940	0.176	0	0
Cyclohexane	6100	61000	0.688	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0	0
Tetrahydrofuran	93000	x	1.18	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.67	0.59	0.59	0.59	0.60	0.67	0.59	0	x
1,4-Dioxane	3500	x	3.60	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	0	x
Xylene (Total)	730	7300	0.651	0.326	1.660	2.280	2.050	0.326	2.010	1.030	0.326	2.140	1.240	0.718	3.440	1.740	0.326	2.520	1.475	3.440	0.326	0	0
Naphthalene	22.5	x	0.524	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.906	0.262	0.262	0.262	1.120	0.695	0.672	1.100	0.474	1.120	0.262	0	x
1,1,1,2-Tetrachloroethane	x	x	0.144	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	x	x

Note 1: All non detectable results are reported as ½ the detection limit.

Note 2: Due to ambient air quality sampling methodology and laboratory analytics a Reportable Detection Limit (RDL) can fluctuate from sample to sample. Therefore the reported ½ RDL values, for example the reported value may be above or below RDL indicated in the RDL column. Note all data presented is actual data as reported from the laboratory and modified to meet the MECP ½ detection limit reporting requirement.

HAMN
HAMILTON AIR MONITORING NETWORK

HAMN - VOC Report

Station : 29180
Location : Burlington St / Gage Ave, Hamilton
Reporting Period : 01 January, 2020 to 31 December, 2020

Sample Matrix : SUMMA Canisters
Method : GC/MS (TO15A)
Valid Samples - No. / % : 31 / 100%

Parameter	AAQC 24 Hr	URT 24 Hr	RDL	02-Jul-20	14-Jul-20	26-Jul-20	07-Aug-20	19-Aug-20	31-Aug-20	12-Sep-20	24-Sep-20	06-Oct-20	18-Oct-20	30-Oct-20	11-Nov-20	23-Nov-20	05-Dec-20	17-Dec-20	29-Dec-20	Ave	Max	Min	Samples > AAQC	Samples > URT
	µg/m³	µg/m³	µg/m³																	µg/m³	µg/m³	µg/m³	No.	No.
2,2,4-Trimethylpentane	x	x	0.934	0.467	0.467	0.467	0.960	0.467	0.467	0.467	1.190	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.467	0.543	1.190	0.467	x	x
Carbon Disulfide	330	x	1.56	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0	x
Propene	4000	x	0.516	0.600	0.560	0.431	1.035	0.431	0.775	0.600	3.440	0.860	1.290	0.515	1.470	2.220	0.431	1.140	0.690	1.030	3.440	0.431	0	x
Vinyl Acetate	x	x	0.704	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	0.352	x	x
Dichlorodifluoromethane	500000	x	0.989	2.91	2.79	3.83	3.05	2.97	3.23	2.73	2.57	2.93	2.55	2.65	2.57	2.52	2.36	2.63	3.17	2.84	3.83	2.36	0	x
Vinyl Chloride	1	100	0.0511	0.0640	0.0640	0.0640	0.0640	0.0640	0.0640	0.0640	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0256	0.0424	0.0640	0.0256	0	0
1,2-Dichlorotetrafluoroethane	700000	x	1.19	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0.595	0	x
1,3-Butadiene	10	300	1.11	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0.555	0	0
Chloromethane	320	x	0.620	0.987	0.892	0.947	1.030	0.976	1.050	0.813	1.050	0.973	0.905	0.883	1.010	0.953	1.010	0.800	1.270	0.972	1.270	0.800	0	x
Trichlorotrifluoroethane	800000	x	1.15	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0.575	0	x
Vinyl Bromide	x	x	0.875	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	0.4375	x	x
Chloroethane	5600	25000	0.792	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0.396	0	0
Chloroform	1	100	0.195	0.0975	0.0975	0.0975	0.2570	0.0975	0.2480	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.0975	0.1169	0.2570	0.0975	0	0
1,2-Dichloroethane	2	x	0.0405	0.082	0.132	0.071	0.082	0.070	0.089	0.069	0.095	0.090	0.080	0.086	0.075	0.085	0.0838	0.0945	0.117	0.088	0.132	0.069	0	x
Carbon Tetrachloride	2.4	24	0.31	0.810	0.829	0.884	0.326	0.416	0.536	0.653	0.562	0.502	0.766	0.620	0.771	0.735	0.711	0.624	0.158	0.619	0.884	0.158	0	0
Trichlorofluoromethane	6000	x	1.12	1.73	1.75	1.88	2.33	2.05	2.10	2.05	1.84	1.93	1.61	1.70	1.92	1.74	1.61	1.61	1.86	1.86	2.33	1.61	0	x
Benzene	2.3	100	0.16	0.39	0.44	0.33	1.31	0.81	2.84	2.17	1.30	0.52	0.53	0.59	0.47	0.72	0.61	2.19	0.75	1.00	2.84	0.33	1	0
Ethanol	19000	x	1.88	118.000	24.800	7.910	55.600	34.100	5.970	3.700	125.000	8.550	10.500	6.660	30.000	31.300	11.400	2.160	39.800	32.216	125.000	2.160	0	x
Trichloroethylene	12	1200	0.269	0.135	0.135	0.135	0.135	0.135	0.135	0.135	0.135	0.135	0.135	0.310	0.411	0.135	0.135	0.135	0.135	0.163	0.411	0.135	0	0
2-propanol	7300	x	2.46	1.230	1.230	1.230	1.230	1.230	1.230	1.230	3.590	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.230	1.378	3.590	1.230	0	x
Bromodichloromethane	x	x	1.34	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	0.670	x	x
2-Propanone	11880	x	0.475	8.44	7.90	9.48	10.40	6.25	8.69	4.20	17.10	6.95	6.62	4.39	6.22	4.25	2.86	2.65	3.87	6.89	17.10	2.65	0	x
cis-1,3-Dichloropropene	x	x	0.227	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	x	x
Methyl Ethyl Ketone	1000	10000	0.295	1.370	2.120	1.150	1.750	1.430	6.400	1.140	2.540	1.270	1.220	1.320	0.885	0.757	0.735	0.838	1.540	1.654	6.400	0.735	0	0
trans-1,3-Dichloropropene	x	x	0.227	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	0.1135	x	x
1,1,2-Trichloroethane	x	x	0.0655	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	0.0328	x	x
Methyl Isobutyl Ketone	1200	x	0.410	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0.205	0	x
Dibromochloromethane	x	x	1.70	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	0.850	x	x
Methyl Butyl Ketone	x	x	4.10	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	2.050	x	x
Ethylene Dibromide	3	x	0.0768	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0.038	0	x
Methyl t-butyl ether (MTBE)	7000	x	0.361	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0.1805	0	x
1,1,2,2-Tetrachloroethane	x	x	0.0185	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	0.0093	x	x
Ethyl Acetate	x	x	3.60	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	x	x
1,1-Dichloroethylene	10	x	0.198	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0	x
Benzyl chloride	x	x	2.59	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	1.295	x	x
cis-1,2-Dichloroethylene	105	x	0.198	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0.0990	0	x
Hexachlorobutadiene	x	x	0.0501	0.0251	0.0642	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0275	0.0642	0.0251	x	x
trans-1,2-Dichloroethylene	105	x	0.396	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0.1980	0	x
Methylene Chloride	220	22000	2.78	0.815	0.681	0.770	0.874	0.655	1.090	0.518	3.090	0.654	0.474	1.070	0.866	1.490	0.560	0.457	0.711	0.923	3.090	0.457	0	0
1,1-Dichloroethane	165	1650	0.202	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0.1010	0	0
1,1,1-Trichloroethane	115000	x	0.273	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0.1365	0	x
1,2-Dichloropropane	2400	x	0.231	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0.1155	0	x
Bromomethane	1350	x	0.194	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0.0970	0	x
Bromoform	55	x	1.03	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0.515	0	x
Heptane	11000	x	1.23	0.615	0.615	0.615	0.615	0.615	0.615	0.615	1.480	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.615	0.669	1.480	0.615	0	x
Tetrachloroethylene	360	x	0.339	0.1695	0.6100	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1695	0.1970	0.6100	0.1695	0	x
Toluene	2000	x	0.188	2.1700	1.7200	1.4000	4.1500	2.1700	3.0000	1.3600	6.7400	1.8500	1.5000	1.2800	1.9300	1.3300	0.9210	1.2000	1.5500	2.1419	6.7400	0.9210	0	x
Ethylbenzene	1000	10000	0.217	0.496	0.367	0.109	0.962	0.443	0.468	0.228	1.140	0.346	0.109	0.302	0.761	0.233	0.109	0.109	0.307	0.405	1.140	0.109	0	0
p+m-Xylene	730	x	0.434	1.700	1.080	0.637	3.250	1.450	1.590	0.768	3.830	1.100	0.505	0.964	2.880	0.720	0.529	0.601	1.010	1.413	3.830	0.505	0	x
o-Xylene	730	x	0.217	0.639	0.418	0.235	1.140	0.553	0.633	0.436	1.320	0.344	0.109	0.293	0.646	0.266	0.109	0.109	0.379	0.477	1.320	0.109	0	x
Styrene	400	x	0.213	0.8250	0.2140	0.1065	1.1500	0.4110	0.3700	0.1065	1.6600	0.1065	0.1065	0.3740	0.5270	0.1065	0.1065	0.1065	0.1065	0.3989	1.6600	0.1065	0	x
1,3,5-Trimethylbenzene	220	2200	2.46	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	0	0
1,2,4-Trimethylbenzene	220	2200	2.46	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	0	0
4-ethyltoluene	x	x	2.46	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	x	x
Chlorobenzene	x	x	0.230	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	0.1150	x	x
1,3-Dichlorobenzene	x	x	2.40	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	x	x
1,4-Dichlorobenzene	95	x	0.301	0.1505	0.1505	0.1505	0.4260	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1677	0.4260	0.1505	0	x
1,2-Dichlorobenzene	x	x	0.301	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	0.1505	x	x
1,2,4-Trichlorobenzene	400	x	0.742	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0.371	0	x
Hexane	2500	25000	0.352	1.770	1.340	0.595	3.340	1.090	1.055	0.573	2.240	0.808	0.580	1.290	1.620	0.673	0.894	0.176	0.989	1.190	3.340	0.176	0	0
Cyclohexane	6100	61000	0.688	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0.344	0	0
Tetrahydrofuran	93000	x	1.18	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0	x
1,4-Dioxane	3500	x	3.60	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	0	x
Xylene (Total)	730	7300	0.651	2.340	1.490	0.872	4.390	2.010	2.220	1.200	5.150	1.450	0.326	1.260	3.520	0.986	0.326	0.326	1.380	1.828	5.150	0.326	0	0
Naphthalene	22.5	x	0.524	0.262	0.262	0.262	0.895	0.262	0.856	0.571	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.262	0.358	0.895	0.262	0	x
1,1,1,2-Tetrachloroethane		x	0.144	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	0.072	x	x

Note 1: All non detectable results are reported as ½ the detection limit.

Note 2: Due to ambient air quality sampling methodology and laboratory analytics a Reportable Detection Limit (RDL) can fluctuate from sample to sample. Therefore the reported ½ RDL values, for example the reported value may be above or below RDL indicated in the RDL column. Note all data presented is actual data as reported from the laboratory and modified to meet the MECP ½ detection limit reporting requirement.